

**MATERIAL SAFETY DATA SHEET**

**REVISION DATE: 07-06-2019**

**ARTICLE: HABAFLEX PLASTISOL PIGMENT PASTE MOTOR OIL REDDISH**

**1 IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING**

PRODUCT NAME: HABAFLEX PLASTISOL PIGMENT PASTE MOTOR OIL REDDISH

PRODUCT NO. 2223

SUPPLIER: HaBaFlex

Ratelaar 5

8281KZ Genemuiden

Holland

Tel: +316 4327 2262

Mail: [info@habaflex.nl](mailto:info@habaflex.nl)

**2 HAZARDS IDENTIFICATION**

Not regarded as a health or environmental hazard under current legislation.

**3 COMPOSITION/INFORMATION ON INGREDIENTS**

No substance meets the criteria specified in Annex II, Part A of the REACH (EC) Regulation No. 1907/2006.

**4 FIRST-AID MEASURES**

**INGESTION**

NEVER MAKE AN UNCONSCIOUS PERSON VOMIT OR DRINK FLUIDS! Rinse mouth thoroughly.

Get medical attention if any discomfort continues.

**SKIN CONTACT**

Remove contaminated clothing. Wash the skin immediately with soap and water.

Get medical attention if any discomfort continues.

**EYE CONTACT**

Make sure to remove any contact lenses from the eyes before rinsing. Promptly wash eyes with plenty of water while lifting the eye lids.

Continue to rinse for at least 15 minutes. Get medical attention if any discomfort continues.

**5 FIRE-FIGHTING MEASURES**

**EXTINGUISHING MEDIA**

This product is not flammable. Use fire-extinguishing media appropriate for surrounding materials.

**6 ACCIDENTAL RELEASE MEASURES**

**SPILL CLEAN UP METHODS**

Stop leak if possible without risk. Absorb in vermiculite, dry sand or earth and place into containers. Flush with plenty of water to clean spillage area. Do not contaminate water sources or sewer.

**7 HANDLING AND STORAGE**

The regulations concerning the storage areas apply to the workplaces where the mixture is processed.

**USAGE PRECAUTIONS**

Avoid spilling, skin and eye contact.

**STORAGE PRECAUTIONS**

Store in tightly closed original container in a dry, cool place.

**STORAGE CLASS**

Not regulated

## HaBaFlex SoftBait Producing Materials MSDS

1 / 3

REVISION DATE: 07-06-2019 HABAFLEX PLASTISOL PIGMENT PASTE MOTOR OIL REDDISH

### 8 EXPOSURE CONTROLS/PERSONAL PROTECTION

#### PROTECTIVE EQUIPMENT

#### ENGINEERING MEASURES

No data available

#### RESPIRATORY EQUIPMENT

No specific recommendation made, but respiratory protection may still be required under exceptional circumstances when excessive air contamination exists.

#### HAND PROTECTION

Use suitable protective gloves if risk of skin contact.

#### EYE PROTECTION

If risk of splashing, wear safety goggles or face shield.

#### OTHER PROTECTION

Wear appropriate clothing to prevent any possibility of skin contact.

#### HYGIENE MEASURES

DO NOT SMOKE IN WORK AREA! Wash at the end of each work shift and before eating, smoking and using the toilet. Wash promptly if skin becomes wet or contaminated.

Promptly remove any clothing that becomes contaminated. Use appropriate skin cream to prevent drying of skin. When using do not eat, drink or smoke.

### 9 PHYSICAL AND CHEMICAL PROPERTIES

#### APPEARANCE Paste

#### COLOUR Red

#### ODOUR Mild

#### SOLUBILITY Insoluble in water

#### BOILING POINT (°C) not explained further.

#### FLASH POINT (°C) not explained further.

### 10 STABILITY AND REACTIVITY

#### STABILITY

No particular stability concerns.

#### CONDITIONS TO AVOID none known

#### HAZARDOUS DECOMPOSITION PRODUCTS

The thermal decomposition can develop / form:

- carbon monoxide (CO)
- carbon dioxide (CO<sub>2</sub>)

### 11 TOXICOLOGICAL INFORMATION

#### INFORMATION ON TOXICOLOGICAL EFFECTS

No data available.

#### SUBSTANCES

No toxicological information is available for the substances.

#### MIXTURE

No toxicological information is available for the substances.

### 12 ECOLOGICAL INFORMATION

#### ECOTOXICITY

Not regarded as dangerous for the environment.

### 13 DISPOSAL CONSIDERATIONS

#### DISPOSAL METHODS

Dispose of waste and residues in accordance with local authority requirements.

2 / 3

REVISION DATE: 07-06-2019 HABAFLEX PLASTISOL PIGMENT PASTE MOTOR OIL REDDISH

#### 14 TRANSPORT INFORMATION

Exempt from classification and labeling Transport.

Transport the product in accordance with the provisions of ADR by road, RID by rail, IMDG by sea and ICAO / IATA for air transport (ADR 2013 - IMDG 2012 - ICAO / IATA 2014).

#### 15 REGULATORY INFORMATION

RISK PHRASES

NC Not classified.

SAFETY PHRASES

NC Not classified.

EU DIRECTIVES

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration,

Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive

1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive

76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, including amendments.

#### 16 OTHER INFORMATION

REVISION DATE 7-06-2019

Complies with directives 67/548 / EEC, 1999/45 / EC and the amendments thereto.

No specific labeling is required for this mixture.

#### Abbreviations:

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.

IMDG: International Maritime Dangerous Goods.

IATA: International Air Transport Association.

ICAO: International Civil Aviation Organization.

RID: Regulations concerning the International carriage of Dangerous goods by rail.

WGK: Water Hazard Class (Water Hazard Class).

HaBaFlex

Address: Ratelaar 5 ,8281KZ, Genemuiden, Holland

email: info@habaflex.nl tel: 0031- (0)6 43 272262

VAT ID: NL090821361B01 K.v.K: 74195387